

# **ABOUT US**





Lippert is a leading, global manufacturer and supplier of highly engineered products and customized solutions, dedicated to the promise that whenever, wherever, we make your experience better. We engineer, design and manufacture products in Europe focusing on lightweight and space-saving product designs crucial for success in the European Caravan Market. With teams across the continent, we provide a complete line of high-quality products.

Whenever, wherever we make your experience better

# **TABLE OF CONTENTS**




























# EXPLORE INSPIRE LIVE

At Lippert, our goal is to make products that help you discover the ultimate sense of freedom. With thousands of team members globally, innovation is at our core, and we will never wait to see what can be done better. Our products are inventive and inspired. We strive for the best Customer Service, period. Why? Because your adventure is on the line, and it's our job to make every future journey even better than those of the past.

Our purpose is clear: We are a Company where Everyone Matters. Every Customer. Every Team Member. We support the Communities we work in with over 100,000 hours of collective service every year. We make lives better.

Whenever, wherever we make your experience better





# **STEPS**

Our broad range of caravan and motorcaravan steps are available in steel, aluminum and hi-tech polymer with manual and power configuration options to suit every need. We offer single, double and triple entry steps for caravans and motorcaravans.















# **ALANERA**

# **Electric slide-out step**

The Alanera slide-out step is designed to meet the style of the modern motorcaravan with its sleek profile and high-quality finish, combined with improvements in both weight savings and ease of use.

- High-power 12-volt motor fully extends step in 2,5 seconds
- Automatic slide-out motion for a safe, comfortable, unobtrusive step
- High-tech injection-molded polymer for a durable yet lightweight construction
- Anti-slip finish for safe entry and exit
- Side wings help integrate the step with the vehicle and can support a person's weight
- Automotive-quality finish for lasting resilience to the elements
- Easy to clean simply spray off with a hose
- Combined absorption limit with Elektra.PLUS control unit (#2021104021): 6,8-amps
- Installation wiring cables included with electric models
- Installation kits available for: Fiat Ducato / Citroen Jumper / Peugeot Boxer (#2021104050) Ford Transit (#2021104034) and Mercedes-Benz Sprinter (#2021104115)




Sleek, modern design to complement modern caravans and motorcaravans



Unique drain channels and anti-slip finish help keep the tread clean in any weather





Part #	Includes	⅓H	体L	<b>本</b> 比	₺w	¹⊈ W1	<u> </u>	ث	$\mathfrak{E}$	<b>④</b>
2021104062	Step and lateral wings (installation kits sold separately)	85 mm	691,1 mm	444,6 mm	561 mm	546,9 mm	6,423 kg	200 kg	2,5 amps	13 amps

# **INNOLIGHT**

# **Electric and manual slide-out steps**

- High-power 12-volt motor fully extends step in 2,5 seconds (electric version only)
- Patented guides and ball bearings ensure frictionless slide for smooth operation
- 80% plastic and 20% steel / aluminum construction to be lightweight and durable
- Sturdy, anodized aluminum footboard for lasting corrosion resistance
- Integrated motor sensor for 'open step' warning
- Weatherproof, tested for outdoors
- Integrated thermal breaker in case of excessive strain
- Includes patented, manual, quick-release emergency system
- Combined absorption limit with Elektra.PLUS control unit (#2021104021): 6,8-amps
- M-HANDLE (#2021104027) for manual step extension and retraction
- Installation wiring cables included with electric models
- Installation kits available for Fiat Ducato, Citroen Jumper, Peugeot Boxer, Ford Transit, Mercedes-Benz Sprinter and Volkswagen Crafter
- Front covers available to integrate the step with the vehicle




Compact size remains unobtrusive on your RV



Anti-slip rubber for safe entry and exit





Part #	红H	'本L	ts L1	₺w	¹⊈ W1	<u> </u>	È	$ \mathcal{E} $	<b>②</b>		
Electric Models											
2021104109	78,5 mm	708,7 mm	472 mm	695 mm	440 mm	6,850 kg	200 kg	2,5 amps	17 amps		
2021104075	78,5 mm	708,7 mm	472 mm	735 mm	550 mm	7,300 kg	200 kg	2,5 amps	17 amps		
2021104084	78,5 mm	708,7 mm	472 mm	785 mm	700 mm	8,380 kg	200 kg	2,5 amps	17 amps		
2021104101	78,5 mm	708,7 mm	472 mm	905 mm	1.000 mm	9,778 kg	200 kg	2,5 amps	17 amps		
Manual Models											
2021104065	78,5 mm	708,7 mm	472 mm	695 mm	440 mm	6,200 kg	200 kg				
2021104116	78,5 mm	708,7 mm	472 mm	735 mm	550 mm	6,900 kg	200 kg				
2021104051	78,5 mm	708,7 mm	472 mm	785 mm	700 mm	7,800 kg	200 kg				

# **R-SERIES**

# **Electric and manual fold-out steps**

- Designed for RV application with standard chassis height
- High-power motor for fold-out movement in 1,5 seconds (electric version only)
- Ball bearings and brass bushings promote smooth, quiet operation
- Steel frame with lightweight aluminum board for stability in all conditions
- Galvanized and epoxy finishes for strong corrosion protection
- Anti-shock clutch protects motor and gearbox while step is in motion
- Sensor integrated in the motor cover for 'open step' warning
- Integrated thermal breaker in case of excessive strain
- Includes patented, manual, quick-release emergency system
- Installation wiring cables included with electric models







Tested for outdoor in extreme climate conditions



Anti-slip rubber for safe entry and exit





Part #	₩H	L	14 L1	₺w	ı İ	<u>Å</u>	$\odot$	<b>②</b>
Electric Models								
2021104077	229,28 mm	507,47 mm	200,00 mm	481,50 mm	5,300 kg	200 kg	2,5 amps	8 amps
2021104053	229,28 mm	507,47 mm	200,00 mm	522,50 mm	5,600 kg	200 kg	2,5 amps	8 amps
2021104111	229,28 mm	507,47 mm	200,00 mm	596,00 mm	5,900 kg	200 kg	2,5 amps	8 amps
2021104031	229,28 mm	507,47 mm	200,00 mm	717,00 mm	6,100 kg	200 kg	2,5 amps	8 amps
Manual Models			·			·		
2021104106	229,28 mm	507,47 mm	200,00 mm	350,00 mm	3,700 kg	200 kg		
2021104103	229,28 mm	507,47 mm	200,00 mm	490,00 mm	4,000 kg	200 kg		
2021104081	229,28 mm	507,47 mm	200,00 mm	532,00 mm	4,200 kg	200 kg		

# **T-SERIES**

# **Electric and manual fold-out steps**

- Designed for caravan applications
- High-power motor for fold-out movement in 1,5 seconds (electric version only)
- Ball bearings and brass bushings promote smooth, quiet operation
- Anti-shock clutch protects motor and gearbox while step is in motion
- Steel frame with lightweight aluminum board for stability in all conditions
- Galvanized and epoxy finishes for strong corrosion protection
- Sensor integrated in the motor cover for 'open step' warning
- Integrated thermal breaker in case of excessive strain
- Includes patented, manual, quick-release emergency system
- Installation wiring cables included with electric models





Tested for outdoor in extreme climate conditions



Anti-slip rubber for safe entry and exit







Part #	⊈H	14 L	14 L1	₺w	<u> </u>	<u>å</u>	<b>&amp;</b>	<b>②</b>
Electric Models								
2021104063	210,59 mm	486,12 mm	245,83 mm	495 mm	5,510 kg	200 kg	2,5 amps	8 amps
2021104038	210,59 mm	486,12 mm	245,83 mm	530 mm	5,840 kg	200 kg	2,5 amps	8 amps
2021104078	210,59 mm	486,12 mm	245,83 mm	609 mm	5,740 kg	200 kg	2,5 amps	8 amps
2021104112	210,59 mm	486,12 mm	245,83 mm	730 mm	6,190 kg	200 kg	2,5 amps	8 amps
Manual Models								
2021104088	210,59 mm	486,12 mm	245,83 mm	364 mm	3,640 kg	200 kg		
2021104095	210,59 mm	486,12 mm	245,83 mm	495 mm	4,000 kg	200 kg		
2021104045	210,59 mm	486,12 mm	245,83 mm	530 mm	4,100 kg	200 kg		
2021104064	210,59 mm	486,12 mm	245,83 mm	730 mm	4,700 kg	200 kg		

# **S-SERIES**


# **Electric fold-out steps**

- Designed for RV application with low-profile chassis
- High-power motor for fold-out movement in 1,5 seconds (manual version also available)
- Ball bearings and brass bushings promote smooth, quiet operation
- Anti-shock clutch protects motor and gearbox while step is in motion
- Steel frame with lightweight aluminum board for stability in all conditions
- Galvanized and epoxy finishes for strong corrosion protection
- Integrated motor sensor for 'open step' warning
- Integrated thermal breaker in case of excessive strain
- Includes patented, manual, quick-release emergency system
- Installation wiring cables included with electric models






Weatherproof IP33 protection level, tested for outdoors



Anti-slip rubber for safe entry and exit





Part #	体H	坛L	ts Li	坏w	_	<u> </u>	<b>②</b>	<b>②</b>
2021104085	144 mm	564 mm	332 mm	442 mm	5,450 kg	200 kg	2,5 amps	8 amps
2021104070	144 mm	564 mm	332 mm	567 mm	5,960 kg	200 kg	2,5 amps	8 amps
2021104039	144 mm	564 mm	332 mm	707 mm	6,740 kg	200 kg	2,5 amps	8 amps

# **L-SERIES**

# **Electric and manual fold-out steps**

- Opens and closes automatically (electric version only)
- Two-step configuration for easy, ergonomic access
- Anti-slip EPDM rubber for safe entry and exit
- Steel frame with lightweight aluminum board for stability in all conditions
- Galvanized and painted finishes for strong corrosion protection
- Left or right motor option to accommodate either side of the RV
- Tested for outdoor in extreme climate conditions
- Sensor integrated in the motor cover for 'open step' warning
- Emergency manual release system






Anti-slip rubber for safe entry and exit



Emergency manual release system




Part #	₩H	¼ H1	¼ H2	¹⊈ L	14 L1	14 L2	₺w	<u> </u>	<u> ش</u>	$\mathfrak{E}$	$\odot$
Electric Models											
2021104096	362 mm	200 mm	162 mm	762 mm	210 mm	261 mm	610 mm	11,00 kg	200 kg	2,5 amps	8 amps
2021104046	362 mm	200 mm	162 mm	762 mm	210 mm	261 mm	660 mm	12,00 kg	200 kg	2,5 amps	8 amps
Manual Models											
2021104089	362 mm	162 mm	200 mm	762 mm	210 mm	261 mm	610 mm	9,00 kg	200 kg	2,5 amps	8 amps

# **Z-SERIES & X-SERIES**

# **Electric fold-out steps**

- Opens and closes automatically
- Two-step configuration for easy, ergonomic access (Z-Series only)
- X-series features increased step riser
- Gear motor folds out step on ball bearings for smooth, quiet operation
- Anti-slip EPDM rubber for safe entry and exit
- Steel frame with lightweight aluminum board for stability in all conditions
- Galvanized and painted finishes for strong corrosion protection
- Left or right motor option to accommodate either side of the RV
- Multifunction electronic control unit for total control of all step functions
- Automatically closes when engine starts
- Warning light for 'open step' sensor
- Motor protection system in case of excessive stress
- Emergency manual release system



Part #	₩H	¼ H1	¼ H2	な <sub>L</sub>	14 L1	t₄ L2	₺w	<u> </u>	<u> </u>	<b>£</b>	$\odot$
Z-Series Electr	ic Steps										
2021104057	390,10 mm	226,40 mm	164,07 mm	782 mm	200 mm	200 mm	492 mm	16,90 kg	200 kg	3 amps	8,5 amps
2021104071	390,10 mm	226,40 mm	164,07 mm	782 mm	200 mm	200 mm	492 mm	16,90 kg	200 kg	3 amps	8,5 amps
2021104086	395,10 mm	226,40 mm	164,07 mm	782 mm	200 mm	200 mm	550 mm	17,40 kg	200 kg	3 amps	8,5 amps
2021104090	395,10 mm	226,40 mm	164,07 mm	782 mm	200 mm	200 mm	550 mm	17,40 kg	200 kg	3 amps	8,5 amps
2021104097	380 mm	226,40 mm	164,07 mm	782 mm	200 mm	200 mm	645 mm	18,40 kg	200 kg	3 amps	8,5 amps
2021104040	380 mm	226,40 mm	164,07 mm	782 mm	200 mm	200 mm	645 mm	18,40 kg	200 kg	3 amps	8,5 amps
2021104047	446 mm	226,40 mm	164,07 mm	782 mm	200 mm	200 mm	492 mm	19,50 kg	200 kg	3 amps	8,5 amps
2021104058	446 mm	226,40 mm	164,07 mm	782 mm	200 mm	200 mm	492 mm	19,50 kg	200 kg	3 amps	8,5 amps
2021104072	423 mm	226,40 mm	164,07 mm	782 mm	200 mm	200 mm	550 mm	20,20 kg	200 kg	3 amps	8,5 amps
2021104087	423 mm	226,40 mm	164,07 mm	782 mm	200 mm	200 mm	550 mm	20,20 kg	200 kg	3 amps	8,5 amps
X-Series Electr	ic Steps										
2021104091	374 mm	242,34 mm	132,08 mm	799 mm	200 mm	200 mm	454 mm	15,60 kg	200 kg	3 amps	8,5 amps
2021104041	374 mm	242,34 mm	132,08 mm	799 mm	200 mm	200 mm	454 mm	15,60 kg	200 kg	3 amps	8,5 amps
2021104092	400 mm	242,34 mm	132,08 mm	785 mm	200 mm	200 mm	664 mm	19,30 kg	200 kg	3 amps	8,5 amps
2021104059	400 mm	242,34 mm	132,08 mm	785 mm	200 mm	200 mm	664 mm	19,30 kg	200 kg	3 amps	8,5 amps


# **U-SERIES & U2-SERIES**


# **Electric fold-out steps**

- Three-step configuration for easy, ergonomic access
- Gear motor folds out step on ball bearings for smooth, quiet operation (U-series only)
- Anti-slip EPDM rubber for safe entry and exit
- Steel frame with lightweight aluminum board for stability in all conditions
- Galvanized and painted finishes for strong corrosion protection
- Left or right motor option to accommodate either side of the RV (U-series only)
- Multifunction electronic control unit for total control of all step functions
- Emergency manual release system



# Extended Top (U-Series) L3 L2 L1 W





Part #	t∡ H	¼ H1	¹⊈ H2	¹⊈ H3	t L	<b>¼</b> L1	t₄ L2	¼ L3	₩	_	<u> </u>	€	<b>④</b>
U-Series Electric Steps													
2021104042	675 mm	223 mm	222 mm	182 mm	1.154 mm	232 mm	200 mm	289 mm	550 mm	29,00 kg	200 kg	5 amps	9 amps
2021104067	675 mm	223 mm	222 mm	182 mm	1.154 mm	232 mm	200 mm	289 mm	550 mm	29,00 kg	200 kg	5 amps	9 amps
2021104035	675 mm	223 mm	222 mm	182 mm	1.154 mm	232 mm	200 mm	289 mm	645 mm	33,00 kg	200 kg	5 amps	9 amps
2021104023	675 mm	223 mm	222 mm	182 mm	1.154 mm	232 mm	200 mm	289 mm	645 mm	33,00 kg	200 kg	5 amps	9 amps
U2-Series Electric Step													
2021104054	653,5 mm	240 mm	240 mm	140 mm	1.245 mm	200 mm	200 mm	200 mm	640 mm	72,87 kg	200 kg	5 amps	9 amps

# STEP ACCESSORIES



2021104022

#### LIGHTING STEP

- Compatible with steps with aluminum footboard
- Includes blue LED strip, anti-slip see-through rubber strip and timer
- Note: This is optional for steps manufactured from February 2010 to present. For all steps manufactured before this term, it is necessary to replace the entire footboard



2021104044

#### **CLOSY**

- Enables automatic storing for electric steps when starting vehicle's engine
- Prevents steps from opening while driving
- Compatible with all Lippert electric steps



#### E-KIT

- Simplifies installation with plug-and-play system
- Intended for connecting existing wiring to the electronic control box
- Includes: 3 m or 6 m long cable, start switch, LED warning light, 15-amp fuse holder and connection scheme
- Compatible with all Lippert electric steps



2021104021



2021104069

#### **ELEKTRA.PLUS** control units

- Makes system completely automatic with opening or closing of the door
- Reduced size and integrated light timer
- See table for step compatibility



#### **SWITCH and SWITCH COVER**

- Rocker switch to open or close electric fold-out steps
- Compatible with all Lippert electric steps
- Cover provides a clean finished look on the #2021104055 switch (cover sold separately)



2021104056



202110402

#### **ELEKTRA** control units

- Makes system completely automatic with opening or closing of the door
- Compatible with all Lippert electric steps

Part #	Description	Compatibility
2021104055	SWITCH	All Lippert electric steps
2021104094	SWITCH COVER	Open / close switch #479497
2021104044	CLOSY	All Lippert electric steps
2021104026	ELEKTRA control unit (includes EKU #2021104056 and RELE #2021104025)	All Lippert electric steps

Part #	Description	Compatibility
2021104021	ELEKTRA.PLUS control unit	Alanera and Innolight steps
2021104069	ELEKTRA.PLUS control unit	Lippert R-, S-, T- and L-series steps
2021104037	E-KIT	For Elektra control unit
2021104017	E-KIT	For resonated control units
2021104022	LIGHTING STEP	Steps with aluminum footboard



# **TV BRACKETS**

Lippert offers a wide selection of TV brackets and mounts to provide the perfect solution for each campervan and motorcaravan. Our TV mounts are available in a range of sizes, material options and configurations, including powered models, to ensure a custom fit for any interior.













# **LOTUS**

#### TV brackets

#### Lotus 1

- Three self-braking joints with 15° tilt for easy viewing and adjustment
- Ability to close in either direction to better adapt to RV layout
- Support arm can be locked in place while vehicle is in motion

#### Lotus 2

- Three self-braking joints with adjustable tilt for easy viewing
- Support arm can be locked in place while vehicle is in motion

#### Lotus 3

- Three-joint swivel arm with +5° / -12° tilt and locking knob for easy viewing
- Fully locks in closed position for safe travel

#### Lotus 4

- Three-joint swivel arm with +5° / -12° tilt and locking knob for easy viewing
- 90° rotation for vertical TV storage
- Fully locks in closed position for safe travel

#### Lotus 5


- Four-joint swivel arm for maximum adjustability and easy viewing
- Fully locks in closed position for safe travel











Part #	Lotus	⊣L	<b>₩</b> L1	₩H	<u> </u>	<u> </u>	×	f.	<b>₽</b>
2021104171	1	529 mm	472 mm	201 mm	1,2 kg	8 kg	75 x 75 mm / 100 x 100 mm	15°	
2021104134	2	496 mm	472 mm	179 mm	1,3 kg	10 kg	75 x 75 mm / 100 x 100 mm	15°	180°
2021104150	2	644 mm	472 mm	179 mm	1,5 kg	10 kg	75 x 75 mm / 100 x 100 mm	15°	180°
2021104200	3	563 mm	68,1 mm	120 mm	1,1 kg	8 kg	75 x 75 mm / 100 x 100 mm	+5° to -12°	
2021104175	3	563 mm	68,1 mm	120 mm	1,1 kg	8 kg	75 x 75 mm / 100 x 100 mm	+5° to -12°	
2021104184	4	535 mm	84 mm	154,4 mm	1,6 kg	8 kg	75 x 75 mm / 100 x 100 mm	+5° to -12°	90°
2021104209	5	562,7 mm	93 mm	120 mm	1,3 kg	8 kg	75 x 75 mm / 100 x 100 mm	15°	180°

95







# **SNAPDRAGON**

## Wall-mount TV bracket

- 90° rotation for vertical TV storage
- Two-joint swivel arm for easy viewing
- Lockable rotation and in closed position for safe travel






Closed front









Part #	⊣L	M	⊈H	<u> </u>	À	×	₽
2021104159	190 mm	37 mm	228,85 mm	2,1 kg	10 kg	200 x 100 mm 200 x 200 mm	90°

# **TULIP**

#### TV brackets

#### Tulip 1

- Pantograph mechanism maximizes extension while maintaining low profile
- Magnetic security blockage keeps bracket locked while closed
- Revolves for easier visibility anywhere in the RV

#### Tulip 2

• Bracket for individual fitting with Lavender #12585 compatibility








Tulip 1

Tulip 2

Tulip 2 shown with a mounted TV



Part #	Tulip	⊣L	МL	⅓H	<u> </u>	À	×
2021104130	1	364 mm	54 mm	158 mm	1,4 kg	8 kg	75 x 75 mm 100 x 100 mm
2021104177	2	48 mm	47 mm	120 mm	0,82 kg	10 kg	75 x 75 mm 100 x 100 mm



# **BUTTERFLY**

# Removable TV brackets with electrical and TV plug

## **Butterfly 1**


- Support can remain attached to TV or separated from the base for mobility
- Pantograph mechanism maximizes extension while maintaining low profile
- Support arm can be locked in place while vehicle is in motion
- Head tilts up to 10° for easy viewing
- Base equipped with 12-volt plug and TV antenna plug

#### **Butterfly 2**


- Pantograph mechanism maximizes extension while maintaining low profile
- Support arm can be locked in place while vehicle is in motion
- Revolves and tilts up to 10° for easy visibility anywhere in the RV

#### **Butterfly 3**

- Three-joint swivel arm for easy viewing
- 110mm height adjustment range for custom positioning
- Automatically locks in closed position for safe travel







Part #	Butterfly	<b>-</b> 1 L	<b>₩ L1</b>	⊈H	<u> </u>	<u> </u>	×	<b>-</b>
2021104167	1	261 mm	66,5 mm	227 mm	1,9 kg	8 kg	75 x 75 mm / 100 x 100 mm	180°
2021104201	2	279 mm	35 mm	156 mm	1,2 kg	8 kg	75 x 75 mm / 100 x 100 mm	180°
2021104176	2	403 mm	45 mm	156 mm	1,5 kg	8 kg	75 x 75 mm / 100 x 100 mm	180°
2021104204	2	483 mm	45 mm	156 mm	1,7 kg	8 kg	75 x 75 mm / 100 x 100 mm	180°
2021104165	3	160 mm	84 mm	156 mm	2,4 kg	8 kg	75 x 75 mm / 100 x 100 mm	180°

97





# **ROSE**


# Manual folding TV brackets


#### Rose 1


- Slides out horizontally from a cabinet for convenient storage
- Pivots up to 22° when extended, with upward or downward tilt for easy viewing
- Right or left mounting options to accommodate any RV layout
- Automatically locks in closed position for safe travel


#### Rose 2


- Slides out horizontally from a cabinet for convenient storage
- Lowers up to 15 cm, rotates 220° and tilts up or down for easy viewing
- Right or left mounting options to accommodate any RV layout
- Automatically locks in closed position for safe travel











Open

Rose 1 #	Rose 2 #	Outgoing	√WW	- <b>J</b> W1	₩H	<u> </u>	<u> </u>	×	£,	₽
2021104163	2021104146	Lateral to right	315 mm	716 mm	88 mm	3,0 kg	10 kg	75 x 75 mm / 100 x 100 mm	22°	220°
2021104206	2021104196	Lateral to left	315 mm	716 mm	88 mm	3,0 kg	10 kg	75 x 75 mm / 100 x 100 mm	22°	220°
2021104188	2021104140	Lateral to right	362 mm	813 mm	88 mm	3,2 kg	10 kg	75 x 75 mm / 100 x 100 mm	22°	220°
2021104138	2021104215	Lateral to left	362 mm	813 mm	88 mm	3,2 kg	10 kg	75 x 75 mm / 100 x 100 mm	22°	220°
2021104195	2021104190	Lateral to right	362 mm	813 mm	88 mm	3,9 kg	10 kg	75 x 75 mm / 100 x 100 mm	22°	220°
2021104145	2021104197	Lateral to left	362 mm	813 mm	88 mm	3,9 kg	10 kg	75 x 75 mm / 100 x 100 mm	22°	220°
2021104185	2021104187	Lateral to right	413 mm	921 mm	88 mm	4,3 kg	10 kg	75 x 75 mm / 100 x 100 mm	22°	220°
2021104213	2021104158	Lateral to left	413 mm	921 mm	88 mm	4,3 kg	10 kg	75 x 75 mm / 100 x 100 mm	22°	220°
2021104164	2021104147	Lateral to right	409 mm	938 mm	88 mm	3,2 kg	10 kg	75 x 75 mm / 100 x 100 mm	22°	220°
2021104139		Lateral to left	409 mm	938 mm	88 mm	3,2 kg	10 kg	75 x 75 mm / 100 x 100 mm	22°	220°
2021104189	2021104141	Lateral to right	465 mm	1.017 mm	88 mm	4,6 kg	10 kg	75 x 75 mm / 100 x 100 mm	22°	220°
2021104214	2021104216	Lateral to left	465 mm	1.017 mm	88 mm	4,6 kg	10 kg	75 x 75 mm / 100 x 100 mm	22°	220°
2021104186	2021104192	Lateral to right	515 mm	1.040 mm	88 mm	4,9 kg	10 kg	75 x 75 mm / 100 x 100 mm	22°	220°
2021104157	2021104191	Lateral to left	515 mm	1.040 mm	88 mm	4,9 kg	10 kg	75 x 75 mm / 100 x 100 mm	22°	220°

# **DAISY**

# Wall-fixed TV brackets


Daisy 1







Swivels and tilts for easy viewing Daisy 1

















Part #	Daisy	なし	本山	⅓H	<u> </u>	<u> </u>	×	f,	<b>_</b>
2021104162	1	73 mm	120 mm	209 mm	6 kg	10 kg	75 x 75 mm / 100 x 100 mm	23°	130°
2021104129	1	73 mm	120 mm	209 mm	6 kg	10 kg	75 x 75 mm / 100 x 100 mm	23°	130°
2021104172	2	78 mm	120 mm	120 mm	8 kg	10 kg	75 x 75 mm / 100 x 100 mm	23°	120°

# **PRIMULA**

# TV ceiling bracket with pivoting plate

- Revolves and tilts for easy viewing
- Automatically locks in closed position for safe travel
- Pivoting support locks at various intervals for custom positioning
- Low-profile design when closed for compact storage





Low-profile design when closed for compact storage





# IRIS

# **Sliding TV ceiling bracket**


- Revolves 360° and tilts for easy viewing
- Vertical adjustment with 129 mm stroke for custom positioning













Part #	√IW	本L	Å	۵	×	<b>+</b>
2021104018	52,25 mm	247,59 mm	1,4 kg	8 kg	75 x 75 mm 100 x 100 mm	360°

Part #	⊣L	√l W	<u>^</u>	۵	×	<b>₽</b>
2021104028	802 mm	360 mm	2,9 kg	8 kg	75 x 75 mm 100 x 100 mm	360°



# **SUNFLOWER**

# Vertical dropdown TV brackets

#### Sunflower 1

- Three-joint swivel arm for easy viewing
- 700 mm height adjustment range with lever brake for custom positioning
- Can be mounted on the right or left side
- Anodized aluminum arm to be sleek and lightweight

#### Sunflower 2

- Three-joint swivel arm for easy viewing
- 700 mm height adjustment range with lever brake for custom positioning
- Designed to mount on the right side only

#### Sunflower 3

- Three-joint swivel arm for easy viewing
- 700 mm height adjustment range with lever brake for custom positioning
- Designed to mount on the right side only


#### Sunflower 4

- Three-joint swivel arm for easy viewing
- Height adjustment and pivoting arm allow for custom TV positioning
- Included top endcap provides a finished look
- Designed to mount on the left side only













Part #	Sunflower	M	≇H	МГ	L1	<u> </u>	<u>å</u>	×	<b>f</b>	<b>₽</b>
2021104168	1	86 mm	600 mm	304,2 mm	554 mm	1,860 kg	8 kg	75 x 75 mm / 100 x 100 mm	15°	180°
2021104152	2	57,66 mm	990 mm	58 mm	250,66 mm	1,550 kg	8 kg	75 x 75 mm / 100 x 100 mm		160°
2021104202	3	99 mm	990 mm	277 mm	440 mm	1,650 kg	8 kg	75 x 75 mm / 100 x 100 mm		180°
2021104180	4	62 mm	850 mm	63 mm	443 mm	1,806 kg	8 kg	75 x 75 mm / 100 x 100 mm		160°


101

# **DRAGONFLY**

# TV pole mount

- Three-joint swivel arm for easy viewing
- Adjustable height on the pole with locking knobs for custom positioning
- Lockable in closed position for safe travel
- Pole not included





Part #	⊣L	√l L1	⅓H	<u> </u>	<u>Å</u>	×	<b>♣</b>
2021104123	475 mm	131 mm	200 mm	1,6 kg	8 kg	75 x 75 mm 100 x 100 mm	270°





# **WISTERIA**

# **Sliding TV brackets**


- Slide adjustment for custom positioning of the TV
- Wall-mount and ceiling-mount options available
- Revolves and tilts forward up to 18° and backward up to 90° for easy viewing
- Automatically locks in closed position for safe travel



# **WILLOW**

#### TV bracket for Wisteria

- Adds three-joint swivel arm to Wisteria sliding TV brackets
- Low-profile design measures 275 x 260 x 79 mm when closed for compact storage





Part #	√I W1	<b>—</b>	M	Â	Å
Standard Version					
2021104019	74 mm	726 mm	300 mm	3,00 kg	10 kg
2021104132	74 mm	826 mm	350 mm	3,80 kg	10 kg
2021104148	90 mm	826 mm	350 mm	3,80 kg	20 kg
2021104198	90 mm	933 mm	400 mm	4,00 kg	20 kg
2021104173	90 mm	1.027 mm	450 mm	4,20 kg	20 kg
2021104207	90 mm	1.050 mm	500 mm	4,40 kg	20 kg
Ceiling Version					
2021104160	74 mm	726 mm	300 mm	3,00 kg	10 kg
2021104182	74 mm	826 mm	350 mm	3,80 kg	10 kg
2021104170	90 mm	826 mm	350 mm	3,80 kg	20 kg
2021104133	90 mm	933 mm	400 mm	4,00 kg	20 kg
2021104199	90 mm	1.027 mm	450 mm	4,20 kg	20 kg





Willow

✓ VESA





Front

Side

Wisteria and Willow assembled

Part #	√ W1	₽H	⅓w	Â	<u></u>	×
2021104142	81	323,87 mm	250 mm	1,96 kg	8 kg	75 x 75 mm 100 x 100 mm





103

Wisteria

# **LAVENDER**

# TV brackets with adjustable height

- Two-joint swivel arm for easy viewing
- 400 mm height adjustment range and 10° to 170° pivot for custom positioning
- Right or left placement to adapt to any RV layout








Closed back



Two-joint swivel arm for easy viewing



Part #	⊣L	M	≇H	<u> </u>	۵	×
2021104179	152 mm	47 mm	194 mm	2,875 kg	8 kg	75 x 75 mm / 100 x 100 mm
2021104151	152 mm	47 mm	194 mm	2,875 kg	8 kg	75 x 75 mm / 100 x 100 mm


# **FRESIA**

# **Vertical sliding TV brackets**

- Motorized lift allows TV to be retracted into the ceiling when not in use
- Extends to 1.015 mm and tilts 10° to 170° for easy viewing
- One-motor, belt-driven mechanism for automated sliding



Extends and tilts for easy viewing





One-motor, belt-driven mechanism for automated sliding

Part #	<b>②</b>	Tilts	t∡h	<b>¼ H1</b>	₺w	<u> </u>	۵	×
2021104169	4 amps	No	485 mm	1.014 mm	187 mm	5,7 kg	8 kg	75 x 75 mm 100 x 100 mm
2021104153	4 amps	Yes	485 mm	1.014 mm	187 mm	5,7 kg	8 kg	75 x 75 mm 100 x 100 mm
2021104203	4 amps	Yes	485 mm	1.014 mm	187 mm	5,7 kg	8 kg	75 x 75 mm 100 x 100 mm

# LILY

# Disappearing TV bracket for ceiling

- Motorized lift allows to TV to be completely hidden when retracted
- Designed to drop down from a cabinet
- Extends up to 80 mm and tilts up to 23° for easy viewing
- Right or left placement to adapt to any RV layout
- Multifunction electronic control unit requires 3-amps of energy input








Motorized lift allows to TV to be completely hidden when retracted

Drops down from a cabinet



Part #	t₄n	<b>¼</b> H1	₩	<u> </u>	۵	×
2021104131	467 mm	880 mm	356 mm	7.4 kg	10 kg	75 x 75 mm / 100 x 100 mm

# **EDELWEISS**

#### Manual TV lift

#### Edelweiss 1

- Extends to 440 mm with +/- 12° swivel for easy viewing
- Integrated handle for easy lifting
- Lift magnetically locks in closed position for safe travel

#### Edelweiss 2


- Three-joint swivel arm with 180° swivel for easy viewing
- Extends to 440 mm
- Lift magnetically locks in closed position for safe travel














Part #	Ver	⅓H	<b>¼</b> H1	ßw	<u> </u>	Å	×
2021104178	1	481 mm	891 mm	480 mm	7,3 kg	8 kg	75 x 75 mm / 100 x 100 mm 200 x 100 mm
2021104181	2	441 mm	891 mm	480 mm	7,3 kg	8 kg	75 x 75 mm / 100 x 100 mm





# **VIOLET**

# Disappearing TV brackets for counter tops

#### Violet 1

- Motorized lift allows TV to be completely hidden when retracted
- Extends up to 80 mm and tilts up to 23° for easy viewing
- Designed to mount onto counter tops, shelves or furniture
- Right or left placement to adapt to any RV layout
- Multifunction electronic control unit requires 3-amps energy input

#### Violet 2

- Motorized lift allows TV to be completely hidden when retracted
- Dual-motor, belt-driven mechanism for smooth, even sliding
- Tilt adjustment for easy viewing
- Incoming voltage: 13-volt
- Maximum amperage: 6-amp






Motorized lift allows to TV to be completely hidden when retracted







Part #	Violet	₽H	¼ H1	ßw	_	ے	×
2021104166	1	532 mm	945 mm	396 mm	7,1 kg	8 kg	75 x 75 mm 100 x 100 mm
2021104205	2	504 mm	950 mm	635 mm	9,5 kg	15 kg	75 x 75 mm 100 x 100 mm 200 x 100 mm

# **BLUEBELL**

#### Sliding TV brackets with lowering arm


- Pivoting arm allows TV to be lowered down or retracted for convenient storage
- Revolves and tilts backward up to 90° for easy viewing



Revolves and tilts backward up to 90° for easy viewing



Pivoting arm allows TV to be lowered down or retracted for convenient storage



Part #	√ W1	$\dashv$	M	<u> </u>	Ê
2021104174	112 mm	726 mm	300 mm	3,6 kg	10 kg
2021104208	112 mm	826 mm	350 mm	3,9 kg	10 kg
2021104149	112 mm	933 mm	400 mm	4,1 kg	10 kg
2021104183	112 mm	1.027 mm	450 mm	4,2 kg	10 kg
2021104161	112 mm	1.050 mm	500 mm	4,65 kg	10 kg