



2022
AFTERMARKET CATALOG

ABOUT US



Lippert is a leading, global manufacturer and supplier of highly engineered products and customized solutions, dedicated to the promise that whenever, wherever, we make your experience better. We engineer, design and manufacture products in Europe focusing on lightweight and space-saving product designs crucial for success in the European Caravan Market. With teams across the continent, we provide a complete line of high-quality products.

Whenever, wherever we make your experience better

TABLE OF CONTENTS

**SPACE ON
DEMAND**

05

**BIKE
CARRIERS**

15

**WINDOWS &
ROOF VENTS**

23

**DOORS &
SERVICE DOORS**

31

STEPS

41

**BLINDS &
FLYSCREENS**

53

**BEDS,
ACCESSORIES
& LADDERS**

61

**TV
BRACKETS**

93

**TABLE
LEGS**

107

**WATER
TANKS**

133

**POWER
ON BOARD**

137

ACCESSORIES

145

**AMERICAN
EXPERIENCE**

149

EXPLORE INSPIRE LIVE

At Lippert, our goal is to make products that help you discover the ultimate sense of freedom. With thousands of team members globally, innovation is at our core, and we will never wait to see what can be done better. Our products are inventive and inspired. We strive for the best Customer Service, period. Why? Because your adventure is on the line, and it's our job to make every future journey even better than those of the past.

Our purpose is clear: We are a Company where Everyone Matters. Every Customer. Every Team Member. We support the Communities we work in with over 100,000 hours of collective service every year. We make lives better.

**Whenever, wherever we
make your experience better**



#vanlife



#mountains



#atmosphere




#togeth



SPACE ON DEMAND

Open up your customer's camper van with our integrated, Vela pop-up or get space-on-demand with a Lippert slide-out. Our award-winning SmartRoom slide-out increases living space, all the while remaining compact when driving.





WHENEVER, WHEREVER, WE MAKE YOUR EXPERIENCE BETTER

VELA

Fiat Ducato, Peugeot Boxer, Citroën Jumper H2 pop-up roof

⚠ The quality of this product is granted exclusively with colors allowing the fulfillment of the following criteria: reflectance higher than 55% / absorbency lower than 0,2%.
For any clarification please contact our Customer Service at info-europe@lippertcomponents.com.



Air conditioning vent detail



Spotlight with USB plug detail



Roof handle detail



Roof led stripes detail



Opening handle detail



Plug and switch detail

Thermoformed-twin-sheet-technology built pop-up roof for Fiat Ducato H2 with 200 x 130 cm double bed and hot and cold air system

Product shape repeatability: Utilizes thermoformed, twin-sheet technology instead of fiberglass, making it easier to produce and saving on the total product weight.




Air conditioning and heating arrangements:

The patented design provides a layer of versatility for multiple uses and arrangements.

Weight optimization: This product was intelligently engineered using materials that help to reduce weight.

- **Color:** GLOSSED GREY RAL7040 (reflectance higher than 55%/absorbance lower than 0,2%)
- **Bed frame with slats:** Large aluminum bed frame with wooden slats
- **Lateral bed lights:** Two LED light with a USB port integrated
- **Switch:** Main switch to control the roof light with two USB port integrated
- **Roof lights:** Two LED strips fully integrated into the roof countertop
- **Wiring:** All the electric cable needed to manage the roof light and solar panel
- **Ladder:** A folding ladder strong and cool to climb on the roof
- **Glue:** A specific glue tested to have the best installation performance

Part #	Solar Panel Allowance		
2021104227	220 watts	Thermoformed (ABS + PMMA)	100% polyester double-coated


Space	 Length	 Width	 Height
Closed	3.000 mm	1.620 mm	260 mm
Opened	3.000 mm	1.620 mm	1.080 mm
Entrance	1.100 mm	600 mm	--
Bed base	1.950 mm	1.250 mm	35 mm
Mattress	1.950 mm	1.250 mm	50 mm




VELA

Ford Transit custom pop-up roof

**COMING
IN 2022**



FRONT Version - pop-up



REAR Version - pop-up



SMARTROOM®

Slide-out

Lippert leads the industry in innovative slide-out technology for leisure vehicles, building more than 600,000 slide-out systems for the world market every year. We have more than 80 slide-out-related patents and offer a complete line of slide-out solutions to maximize space and enhance the camping experience.

More space. Less weight.


The space created by the SmartRoom weighs less than the space of the rest of the vehicle because it does not require additional frame and chassis components. With its innovative design, the vehicle maintains its overall length, weighs less and features more living space.

The award-winning SmartRoom slide-out increases the living space within your caravan or motorcaravan.


Example specifications

- Shortens caravan length by 813 mm
- Reduces weight by 106 kg
- Increases space by 0,60 square meters

This example layout not only increases living space while decreasing unit weight; it also makes the unit easier to walk through.



SmartRoom version



Standard version

Version	📦	↔ Length	↗ Area	↔ Transportation Width
SmartRoom	1.868 kg	6.651 mm	17,60 sqm	2.286 mm
Standard	1.974 kg	7.464 mm	17,00 sqm	2.286 mm




SMARTROOM KIT

The SmartRoom kit extends your vehicle's wall to allow you to increase space and decrease the overall weight of your vehicle, giving you the same comfort of a motorhome. The system is also equipped with an 'open SmartRoom' sensor that helps prevent the vehicle from driving away while in the open position.

The four-motor system is versatile, flexible and easy to install. It features a motor at each corner of the room and transfers the movement through a rack and pinion system.

Kit includes

- Four corners with pre-assembled motor
- All necessary wiring
- Remote panel
- Control unit and relay kit
- SmartRoom drive key
- Installation manuals of the room and configuration of the control unit



Part #	↕ Max Stroke	↗ Max Dimensions	📦	Absorption	
				Medium	Peak
2021104237	700 mm	3.500 mm x 2.000 mm	40 kg	10 amps	40 amps
2021104264	1.000 mm	3.500 mm x 2.000 mm	40 kg	10 amps	40 amps



SMARTROOM FRAME KITS


The seal is a single piece of rubber designed with a specific V-shape. Working with the wide radius of the angle pieces and flat surfaces of the side walls, this seal provides superior adherence to avoid water leaks and dirt accumulation.

Kits include

- Frame
- Frame brackets
- Seal
- Screws
- Roller supports

Four-motor

The four-motor system is versatile, flexible and easy to install. It features a motor at each corner of the room and transfers the movement through a rack and pinion system.



Part #	↕ Width	↕ Height	Color	📦
2021104221	1.600 mm	1.500 mm	White	Aluminum
2021104224	2.500 mm	2.000 mm	White	Aluminum
2021104218	3.500 mm	2.000 mm	White	Aluminum



HOSEW & HOSEW-BAR

Roof vents

- Multi-position opening allows custom control of airflow
- Integrated, easy-to-use handles
- White Ral 9010 structure with smoked methacrylate cover
- Available with or without aluminum bars



Parallel opening



Side opening



Easy-to-use handle



Moving handle helping opening



2021104668



2021104628

Part #	Color	↕ Cutout Width	↕ Cutout Height
2021104668	Smoked with white aluminum bars	350 mm	550 mm
2021104628	Smoked with white	350 mm	550 mm



DOORS & SERVICE DOORS

Lippert caravan and motorcaravan doors are durable, reliable and stylish to perfectly complement each vehicle model. We offer a range of standard sizes and configurable options, including various window sizes. We also offer compartment door options for worry-free cargo storage.



EASY POCKET

One-point lock entry door

- Manual, one-point locking system constructed from steel for reliable strength
- Integrated window with blind to regulate light and temperature inside vehicle
- Thermoformed, insulated construction for a secure, tight fit
- Equipped with right-hand aluminum hinges



Part #	Color	Number of Hinges	Cutout Dimensions		
			↕ W	↕ H	Corner Radius
2021104677	White / Grey	2	559 mm	1.909 mm	80 or 89 mm

EASY POCKET 2.0

One-point lock entry door

- Manual or electric, one-point locking system constructed from steel for reliable strength
- Integrated window with blind to regulate light and temperature inside vehicle
- Thermoformed, insulated construction for a secure, tight fit
- Equipped with right-hand aluminum hinges

Contact us for requests. Available options:

- ABS or polystyrene interior construction
- Manual or electric lock
- Standard, low-profile or semi-hidden hinges
- With or without window
- Double-glazing or single-sheet window
- Exterior panel material options



Number of Hinges	↔ Cutout Dimension Ranges		
	↕ W	↕ H	Corner Radius
Available on request only			
3	700 mm to 750 mm	1.740 to 1.750 mm	82,5 mm

EASY STORAGE XL

One-point lock entry door

- Manual, one-point locking system constructed from steel for reliable strength
- Integrated window with blind to regulate light and temperature inside vehicle
- Includes built-in dustbin compartment
- Thermoformed, insulated construction for a secure, tight fit
- Equipped with right-hand aluminum hinges

Contact us for requests.
Available options:

- Manual or electric lock
- Standard or low-profile hinge
- With or without gas spring
- Exterior panel material options



Part #	Color	Number of Hinges	Cutout Dimensions		
			↕ W	↕ H	Corner Radius
2021104702	Beige / Brown	2	650 mm	1.920 mm	89 mm

TRENDY SMALL

Two-point lock entry door

- Manual or electric, two-point locking system constructed from steel for reliable strength
- Window with blind to regulate light and temperature inside vehicle
- Features 'door open' signal switch for enhanced safety
- Includes built-in dustbin compartment
- Thermoformed, insulated construction for a secure, tight fit
- Equipped with right-hand aluminum hinges
- Premium brushed aluminum handle

Contact us for requests.
Available options:

- Manual or electric lock
- Standard or low-profile hinge
- With or without gas spring
- Exterior panel material options



Number of Hinges	↔ Cutout Dimension Ranges		
	↕ W	↕ H	Corner Radius
Available on request only			
2	550 mm to 588 mm	1.740 mm to 1.945 mm	80 or 89 mm

TRENDY RIGHT

Two-point lock entry door

- Electric, two-point, steel locking system for safe, convenient access
- Integrated window with blind to regulate light and temperature inside vehicle
- Features 'door open' signal switch for enhanced safety
- Includes built-in dustbin compartment
- Thermoformed, insulated construction for a secure, tight fit
- Equipped with right-hand aluminum hinges



Part #	Color	Number of Hinges	Cutout Dimension		
			↗ W	↗ H	Corner Radius
2021104630	White / Grey	2	559 mm	1.909 mm	89 mm
2021104705	White / Grey	2	650 mm	1.920 mm	89 mm
2021104653	White / Grey	2	557 mm	1.931 mm	89 mm
2021104678	White / Grey	2	550 mm	1.950 mm	80 mm

TRENDY LEFT

Two-point lock entry door

- Manual or electric, two-point locking system constructed from steel for reliable strength
- Window with blind to regulate light and temperature inside vehicle
- Features 'door open' signal switch for enhanced safety
- Includes built-in dustbin compartment
- Thermoformed, insulated construction for a secure, tight fit
- Equipped with left-hand aluminum hinges



Contact us for requests.

Available options:

- Manual or electric lock
- Standard or low-profile hinge
- With or without gas spring
- Exterior panel material options

Number of Hinges	↔ Cutout Dimension Ranges		
	↗ W	↗ H	Corner Radius
Available on request only			
2	550 mm to 660 mm	1.905 mm to 1.950 mm	80 or 89 mm

TRENDY WAVE

Two-point lock entry door

- Manual or electric, two-point locking system constructed from steel for reliable strength
- Optional window with blind to regulate light and temperature inside vehicle
- Unique locking system allows for faster, easier replacement, if needed
- Features 'door open' signal switch for enhanced safety
- Includes built-in storage pockets
- Thermoformed, insulated construction for a secure, tight fit
- Equipped with right-hand aluminum hinges

Contact us for requests.
Available options:

- Manual or electric lock
- Standard or low-profile hinges
- With or without gas spring
- Exterior panel material options



CHIC E-WINDOW

Two-point lock entry door

- Electric (standard) or manual (optional), two-point, steel locking system for safe, convenient access
- Electric window provides easy operation with the press of a button
- Integrated screen and blind to regulate light and temperature inside RV
- Comfort handle for ergonomic operation
- Features 'door open' signal switch for enhanced safety
- Includes built-in storage compartment
- Thermoformed, insulated construction for a secure, tight fit
- Equipped with right-hand, nickel-plated brass hinges
- Hidden hinges for a clean look on the outside of the RV

Contact us for requests.
Available options:

- With or without gas spring
- Keyless entry
- Exterior panel material options



Number of Hinges	↔ Cutout Dimension Ranges		
	↗ W	↗ H	Corner Radius
Available on request only			
2	635 mm to 710 mm	1.895 mm to 1.970 mm	80 or 89 mm

Number of Hinges	↔ Cutout Dimension Ranges		
	↗ W	↗ H	Corner Radius
Available on request only			
4	620 mm to 650 mm	1.920 mm to 1.950 mm	90 mm

CHIC EVO

Two-point lock entry door

- Manual or electric, two-point locking system constructed from steel for reliable strength
- Unique locking system allows for faster, easier replacement, if needed
- Window with blind to regulate light and temperature inside vehicle
- Features 'door open' signal switch for enhanced safety
- Comfort handle for ergonomic operation
- Includes built-in dustbin compartment
- Thermoformed, insulated construction for a secure, tight fit
- Equipped with right-hand aluminum hinges

Contact us for requests.
Available options:

- Manual or electric lock
- Standard or low-profile hinges
- With or without gas spring
- Exterior panel material options



Number of Hinges	↔ Cutout Dimension Ranges		
	↗ W	↗ H	Corner Radius
Available on request only			
2	670 mm to 830 mm	1.920 mm to 2.050 mm	80 or 89 mm

ATLANTIC

Two-point lock driver door

- Electric (standard) or manual (optional), two-point locking system
- Central, automotive-style locking system for safe, convenient access
- Large, trapezoid-shaped window to add maximum light and visibility to the vehicle interior
- Integrated blind to regulate light and temperature inside vehicle
- Custom-designed flyscreen keeps out mosquitoes, flies and other unwanted pests
- Freshly designed internal and external handles
- Includes large, built-in storage compartment
- Disappearing hinges for a clean look on the outside of the vehicle
- FMVSS-certified



Number of Hinges	↔ Cutout Dimension Ranges		
	↗ W	↗ H	Corner Radius
Available on request only			
7	849 mm	2.223 mm	90 mm


OPEN LUX

Two-point lock driver door

- Electric, two-point, steel locking system for safe, convenient access
- Electric window provides easy operation with the press of a button
- Integrated window to add more light to the vehicle interior
- Courtesy LED light illuminates the ground for safer entry and exit
- Joystick mirror for easy adjustment of view (mirror not included)
- Includes built-in storage compartment
- Thermoformed, insulated construction for a secure, tight fit
- Automotive-style brackets assist opening and hold at various positions
- Disappearing hinges for a clean look on the outside of the vehicle

Contact us for requests.
Available options:

- Manual or electric locks
- Standard or low-profile hinges
- With or without window
- With or without gas spring
- Keyless entry
- Exterior panel material options



Number of Hinges	↕ W	↕ H	Corner Radius
Available on request only			
3	719 mm	1.613 mm	82,5 mm

SERVICE DOOR FRAMES

- Cutout radius 80 or 89
- Profile in extruded aluminum with sections for panel thickness from 22 to 42mm
- Internal and external side in fiberglass or on request
- Standard and low profile hinges available
- One-point or two-point locking system
- Screw lock and Magic lock available



Part #	Frame Dimensions	
	↗ W	↗ H
2021104625	300 mm	400 mm
2021104703	350 mm	350 mm
2021104686	370 mm	640 mm
2021104631	400 mm	500 mm
2021104706	400 mm	675 mm
2021104645	500 mm	320 mm
2021104670	600 mm	430 mm
2021104626	630 mm	350 mm

Part #	Frame Dimensions	
	↗ W	↗ H
2021104638	630 mm	900 mm
2021104646	650 mm	500 mm
2021104695	700 mm	320 mm
2021104713	700 mm	450 mm
2021104687	800 mm	300 mm
2021104639	850 mm	320 mm
2021104671	850 mm	440 mm

Part #	Frame Dimensions	
	↗ W	↗ H
2021104627	900 mm	500 mm
2021104647	1.030 mm	440 mm
2021104714	1.100 mm	00 mm
2021104667	1.250 mm	645 mm
2021104696	1.250 mm	900 mm
2021104672	1.700 mm	525 mm
2021104640	1.900 mm	600 mm

COMPLETE SERVICE DOOR

Configuration options - available on request only

1. Aluminum Profile

Internal options




External options



Radius options

- 80 mm or 89 mm


Profile color options** (internal and external)



Butter white



Standard white




Ice white



Light grey

2. Fiberglass Panel Color Options*

Internal and external**



Standard white

** Color swatches are representative only. Please call for exact color specifications. Other colors available upon request



3. Locking System

Screw lock



MAGIC lock

